# **MIX OIL 112**

#### **Mixed Fatliquor**



### **Chemical Composition**

**Mix Oil 112** is a mixed fatliquor based on natural and synthetic raw materials. **Mix Oil 112** will impart soft leather.

For best results, **Mix Oil 112** should be stirred and warmed up to 25-35C before emulsified with 40-50C water.

# **Application**

A. Main fatliquor bath: Up to 16% Mix Oil 112.

# **Properties**

Appearance: Yellow to Brown Liquid

Analysis: pH 6.5-8.0 Active Ingredient: 51-54% Ionic Charge: Anionic

Stability: Compatible to most anionic chemicals used in

main fatliquor bath.

Not stable to chrome and aluminum salts.

Storage Condition: Optimum Condition is between +5C and +30C.

If frozen, defrost and stir thoroughly before use.

Keep in cool and well ventilated warehouse.

Shelf Life: Up to 12 months in the original packing condition.

### **Packing**

120KGS Plastic Drums

The information and technical advice are provided to you 'as is' and the Company expressly disclaims all warranties of any kind, either implied or expressed. You agree to indemnify and hold harmless the Company and its representatives, subsidiaries, affiliates, related parties, officers, directors, employees, agents from any claim or demand, including reasonable legal fees, that may be filed by any third party, arising out of your conduct or connection with the use of "Product Literature" or "Technical Information" or "Technical Advice" or "Technical Guidance" or any "Recommendation".